

UNITED®

مصنوعة شركة المتحد الخليجي للصناعات البلاستيكية المحدودة
THE UNITED GULF FACTORY FOR PLASTC PRODUCTS CO. LTD.



www.unitedgulfplastic.com



United

The United Gulf Factory For Plastic Products Co. Ltd. Located in Jeddah, Kingdom of Saudi Arabia has been specialized in P.V.C. and C.P.V.C. Fittings manufacturing since 1999. With the developed products and the excellent operational ability United Gulf achieved an outstanding reputation in local and international market. Our production line based on most advanced plastic injection molding machinery. A wide tange of Variety and Quality are our advantage of competitiveness. Trying very hardly for the satisfaction of the client enables us to survive safely and achieve new and progressive targets towards new global horizons. United Gulf brand is well-known in all selling points of Saudi Arabian market and neighboring countries like Egypt, Yaman, Jordan, Sudan, Pakistan. Being established in Saudi Arabia which is the Worlds biggest source of poly-resin items United Gulf's new target is to use the cost advantage and maintain a world wide customer profile.



JOINTING PROCEDURE

Note: It is not possible to remake a solvent weld joint
– it must be made right the first time



1. PREPARE THE PIPE

Before joining, check that the pipe has been cut square and all the burrs are removed from the inside and outside edge.



2. DRY FIT THE JOINT

Check the pipe and socket for an interference fit by dry fitting the joint. Any adjustments can be made now, not later. An interface fit must be reached between approximately one to two thirds of the socket depth determined by witness mark position.



3. PREPARE WITH PRIMING FLUID

Apply priming fluid to the pipe and socket. Always use the correct protective equipment




4. APPLY SOLVENT CEMENT

Using a suitably sized brush, apply a thin even coat of solvent cement to the internal surface of the socket first. Next apply a similar even coat of solvent cement up to the witness mark on the pipe. Ensure the entire surface is covered.




5. INSERT AND PUSH THE PIPE HOME

Make the joint immediately and in a single movement. Do not stop halfway, as the bond will start to set, and it will be almost impossible to insert further. Hold the joint against movement and rejection (i.e., pushback) of the pipe for a minimum of 30 seconds.



CPVC MALE ADAPTED WITH BRASS-SCH80

SIZE	ITEM CODE	D mm	L mm	T mm
1/2"	AC 12	21.53	42	4.5
3/4"	AC 34	26.7	52	4.8
3/4"x1/2"	AC 1234	26.7	50	4
1"	AC 1	33.6	51.5	4.5
1 1/4"	AC 114	42.3	59.7	4.8
1 1/2"	AC 112	48.1	64.8	5.5
2"	AC 2	60.6	74.3	6.5
2 1/2"	AC 212	73.5	94	7.4
3"	AC 3	89.2	96	7.5
4"	AC 4	114.6	113.3	9.2




CPVC FEMALE ADAPTER WITH BRASS-SCH80

SIZE	ITEM CODE	D mm	L mm	T mm
1/2 x 1"	AFC 112	33.4	47.8	4.5
1/2 x 1/2"	AFC 1212	21.5	38.9	4.3
3/4 x 1/2"	AFC 1234	26.8	44.5	4.4
3/4 x 3/4"	AFC 3434	26.8	43.4	5.5
3/4 x 1"	AFC 134	33.53	48.2	4.6
1 x 1"	AFC 11	33.6	49	5
114 x 114"	AFC 114114	42.1	53.6	5.4
112 x 112"	AFC 112112	48.2	61.2	5.8
2 x 2"	AFC 22	60.4	64.5	6.5
3 x 3"	AFC 33	89	77.3	7.3




CPVC DOUBLE ELBOW FEMALE WITH BRASS-SCH80

SIZE	ITEM CODE	D mm	L mm	H mm
3/4 x 1/2"	EFC 1234	26.9	152	59




CPVC ELBOW FEMALE WITH BRASS-SCH80

SIZE	ITEM CODE	D mm	L mm	T mm
1/2 x 1/2"	EFC 1212	21.4	39	4.3
3/4 x 1/2"	EFC 1234	26.8	39	4
3/4 x 3/4"	EFC 3434	26.7	43	5
1 x 1"	EFC 11	33.6	52	5.1
114 x 114"	EFC 114114	42	60	5.2
112 x 112"	EFC 112112	48.2	68	6
2 x 2"	EFC 22	60.8	79	6
1 x 1/2"	EFC 112	33.6	42	5
1 x 3/4"	EFC134	33.57	45	4.7



CPVC SOCKET-SCH80

SIZE	ITEM CODE	D mm	L mm	T mm
1/2"	NBC 12	21.5	50	4.2
3/4"	NBC 34	27	54	4.3
1"	NBC 1	33.6	64.5	4.8
1 1/4"	NBC 114	42.3	69.5	5.5
1 1/2"	NBC 112	48.7	80	6
2"	NBC 2	60.7	86	6
2 1/2"	NBC 212	73.2	94.6	8
3"	NBC 3	90	101	8
4"	NBC 4	114.6	122	9
6"	NBC 6	188.4	160	13
8"	NBC 8	220.3	234.5	15.6




CPVC TEE FEMALE WITH BRASS-SCH80

SIZE	ITEM CODE	D mm	L mm	T mm
1/2 x 1/2"	TFC 1212	21.6	78.1	4.3
3/4 x 1/2"	TFC 1234	26.7	80.9	5.3
3/4 x 3/4"	TFC 3434	26.8	80.1	4.5
1 x 1"	TFC 11	33.6	104	5.5
1 x 1/2"	TFC 112	33.7	85	4.5
1 x 3/4"	TFC 134	33.7	90.2	4.7




CPVC ELBOW 45-SCH80

SIZE	ITEM CODE	D mm	L mm	T mm
1/2"	EOC 45/12	21.6	43	4.9
3/4"	EOC 45/34	26.8	50.25	5.3
1"	EOC 45/1	33.4	60.25	5.2
1 1/4"	EOC 45/114	42.3	69.75	5.3
1 1/2"	EOC 45/112	48.3	75	5.5
2"	EOC 45/2	60.5	95.8	6.3
2 1/2"	EOC 45/212	73.1	110	7.8
3"	EOC 45/3	89	121	8
4"	EOC 45/4	115.7	152	8.6
6"	EOC 45/6	168.9	180	11.3
8"	EOC 45/8	220.3	220	15.55



CPVC REDUCER-SCH80

SIZE	ITEM CODE	D1 mm	D2 mm	D3 mm	L mm
3/4 x 1/2"	RED/C 1234	21.3	26.7	22	26.3
1 x 1/2"	RED/C 112	21.54	33.3	22.66	33.6
1 x 3/4"	RED/C 134	26.7	33.2	25.45	34.7
114 x 12"	RED/C 11412	21.2	42	22.6	40.7
114 x 3/4"	RED/C 11434	26.5	42	24.78	40.5
114 x 1"	RED/C 1141	33.58	42	27.78	41
112 x 1/2"	RED/C 11212	21.52	48.2	23	43.7
112 x 1"	RED/C 1121	33.68	48.11	25.63	43
112 x 114"	RED/C 112114	42	48	32.37	43.7
2 x 1/2"	RED/C 212	21.2	60.1	22	48.8
2 x 3/4"	RED/C 234	26.3	60.4	25.09	50
2 x 1"	RED/C 212	33.2	60.2	29.6	49.1
2 x 114"	RED/C 2114	42	60.4	31.42	47.5
2 x 112"	RED/C 2112	48.2	60.5	35.77	49.5
212 x 2"	RED/C 2122	60.3	72.6	38.03	55.4
112 x 3/4"	RED/C 11234	27.2	48.1	25.5	44
212 x 112"	RED/C 212112	48.4	73	36.5	55.3
3 x 212"	RED/C 3212	73.1	88.3	44.18	58.5
3 x 112"	RED/C 3112	48.6	88.3	36	59
3 x 2"	RED/C 32	60.3	88.6	41.83	58.6
4 x 2"	RED/C 42	60.2	113.5	39.07	68
4 x 3"	RED/C 43	89.1	113.7	46.13	67
6 x 4"	RED/C 64	114.7	168	60	88
8 x 6"	RED/C 86	168.9	218.4	78	110




CPVC ELBOW 90-SCH80

SIZE	ITEM CODE	D mm	L mm	T mm
1/2"	ENC 90/12	21.6	37	4.2
3/4"	ENC 90/34	26.7	40.5	3.9
1"	ENC 90/1	33.4	45	5
1 1/4"	ENC 90/114	42.3	53	5.5
1 1/2"	ENC 90/112	48.3	62	6.1
2"	ENC 90/2	60.5	68.2	6.3
2 1/2"	ENC 90/212	73	83	8
3"	ENC 90/3	89.7	92	7.8
4"	ENC 90/4	114.2	116	9.3
6"	ENC 90/6	168	164.6	11
8"	ENC 90/8	220.3	219.3	15.55




CPVC TEE-SCH80

SIZE	ITEM CODE	D mm	L mm	T mm
1/2"	TC 12	21.4	72.6	3.9
3/4"	TC 34	26.7	82	4
1"	TC 1	33.5	93.4	4.8
1 1/4"	TC 114	42.5	113	5.4
1 1/2"	TC 112	48.35	122	6
2"	TC 2	60.4	139.7	6.6
2 1/2"	TC 212	73.2	167.8	8
3"	TC 3	89.6	195	8.5
4"	TC 4	114.6	247	9
6"	TC 6	168.7	330	12
8"	TC 8	220.3	438.6	15.55




CPVC MALE ADPTER-SCH80

SIZE	ITEM CODE	D mm	L mm	T mm
1/2"	AC 12 NOR	21.4	46.22	4.4
3/4"	AC 34 NOR	26.6	52.8	4.8
1"	AC 1 NOR	33.4	61.1	5



CPVC CAP-SCH80

SIZE	ITEM CODE	D	L	T
		mm	mm	mm
1/2"	CAP/C 12	21.3	31.6	4
3/4"	CAP/C 34	26.6	35.7	4
1"	CAP/C 1	33.3	40	4.5
1 1/4"	CAP/C 114	42	44	5
1 1/2"	CAP/C 112	48.1	45	5.2
2"	CAP/C 2	60.4	52	5.5



CPVC UNION-SCH80

SIZE	ITEM CODE	D	L	T
		mm	mm	mm
1/2"	UNION/C 12	21.4	54.6	5.5
3/4"	UNION/C 34	26.7	60.91	5.2
1"	UNION/C 1	33.4	68	5.1
1 1/4"	UNION/C 114	42.2	76.86	7.8
1 1/2"	UNION/C 112	48.3	82.58	6.8
2"	UNION/C 2	60.3	93.53	8
2 1/2"	UNION/C 212	73.53	110.8	8.5
3"	UNION/C 3	89	124.4	8
4"	UNION/C 4	114.2	159.7	9




CPVC FLANGE-SCH80

SIZE	ITEM CODE	D	L	W
		mm	mm	mm
2"	FLANGE 2C	61.14	151.8	38.78
2 1/2"	FLANGE 212C	73.45	176.6	43.68
3"	FLANGE 3C	89.28	187.9	40.8
4"	FLANGE 4C	114.7	226.7	47.15
6"	FLANGE 6C	168.6	278.3	43.48
8"	FLANGE 8C	220	334.2	45.57




CPVC BLIND FLANGE-SCH80

SIZE	ITEM CODE	D	L	T
		mm	mm	mm
2"	B/FLANGE 2C	47.72	151.8	29
2 1/2"	B/FLANGE 212C	64.4	177.6	25.14
3"	B/FLANGE 3C	73.43	188.1	22.9
4"	B/FLANGE 4C	99.69	226.7	28.21
6"	B/FLANGE 6C	148.2	277.5	31.86
8"	B/FLANGE 8C	203.2	334.2	38.11




PVC MALE ADAPTER WITH BRASS-SCH80

SIZE	ITEM NO.	D mm	L mm	T mm
1/2"	AP 12	21.3	42	4.5
3/4 x 1/2"	AP 1234	26.8	50	4
3/4"	AP 34	26.7	52	4.8
1"	AP 1	33.6	51.5	4.5
1 1/4"	AP 114	42.3	59.7	4.8
1 1/2"	AP 112	48.1	65	5.2
2"	AP 2	60.6	74.5	6.55
2 1/2"	AP 212	73.5	94	7.4
3"	AP 3	89.2	96	7.8
4"	AP 4	114.6	113.3	9.2




PVC FEMALE ADAPTER WITH BRASS-SCH80

SIZE	ITEM NO.	D mm	L mm	T mm
1/2 x 1/2"	AFP 1212	21.5	39.6	4.5
3/4 x 1/2"	AFP 1234	26.9	44	4.6
1 x 1/2"	AFP 112	33.4	47.8	4.5
1 x 3/4"	AFP 134	33.7	49	4.8
3/4 x 3/4"	AFP 3434	26.8	43.4	5.2
1 x 1"	AFP 11	33.6	49.4	5
1 1/4 x 1 1/4"	AFP 114114	42.1	53.6	5.4
1 1/2 x 1 1/2"	AFP 112112	48.2	61.2	5.8
2 x 2"	AFP 22	60.4	65.9	6.7
3 x 3"	AFP 33	89	77.3	7.3




PVC MALE ADAPTER-SCH 80

SIZE	ITEM NO.	D mm	L mm	T mm
1/2"	AP 12 NOR	21.4	48	4.4
3/4"	AP 34 NOR	26.6	52.8	4.8
1"	AP 1 NOR	33.4	61.1	5




PVC TEE FEMALE WITH BRASS-SCH80

SIZE	ITEM NO.	D mm	L mm	T mm
1/2 x 1/2"	TFP 1212	21.6	78.3	4.3
3/4 x 1/2"	TFP 1234	26.7	81.3	5.1
3/4 x 3/4"	TFP 3434	26.8	80.4	4.5
1 x 1"	TFP 11	33.2	104	5.5
1 x 1/2"	TFP 112	33.5	85	4.7
1 x 3/4"	TFP 134	33.6	90.5	4.7




PVC ELBOW FEMALE WITH BRASS-SCH80

SIZE	ITEM NO.	D mm	L mm	T mm
1/2 x 1/2"	EFP 1212	21.4	40	4.3
3/4 x 1/2"	EFP 1234	26.8	40	4.1
3/4 x 3/4"	EFP 3434	26.7	43	5
1 x 1/2"	EFP 112	33.6	52	4.8
1 x 3/4"	EFP 134	33.6	46	4.8
1 x 1"	EFP 11	33.6	52	5.1
1 1/4 x 1 1/4"	EFP 114114	42	60	5.3
1 1/2 x 1 1/2"	EFP 112112	48.2	68	6.32
2 x 2"	EFP 22	60.8	79	6




PVC ELBOW 90-SCH80

SIZE	ITEM NO.	D mm	L mm	T mm
1/2"	ENP 90/12	21.6	36	4.2
3/4"	ENP 90/34	26.7	40	4
1"	ENP 90/1	33.4	48	5
1 1/4"	ENP 90/114	42.3	57	5.5
1 1/2"	ENP 90/112	48.3	62	6.2
2"	ENP 90/2	60.5	69	6.8
2 1/2"	ENP 90/212	73.2	84	8
3"	ENP 90/3	89.7	85	7.8
4"	ENP 90/4	114.5	120	9.5
6"	ENP 90/6	168.5	165	11.5
8"	ENP 90/8	220.3	219.3	15.55




PVC ELBOW 45-SCH80

SIZE	ITEM NO.	D mm	L mm	T mm
1/2"	EOP 45/12	21.6	43	4.1
3/4"	EOP 45/34	26.8	50.25	5.3
1"	EOP 45/1	33.4	60.25	5.2
1 1/4"	EOP 45/114	42.3	69.75	5.4
1 1/2"	EOP 45/112	48.3	75	5.5
2"	EOP 45/2	60.5	95.8	6.3
2 1/2"	EOP 45/212	73.1	110	7.8
3"	EOP 45/3	89	121	8.4
4"	EOP 45/4	114.5	152	9
6"	EOP 45/6	168.9	180	11.5
8"	EOP 45/8	220.3	220	15.55




PVC TEE-SCH80

SIZE	ITEM NO.	D mm	L mm	T mm
1/2"	TP 12	21.4	73	3.9
3/4"	TP 34	26.7	82	4
1"	TP 1	33.5	93.4	4.8
1 1/4"	TP 114	42.3	113.7	5.48
1 1/2"	TP 112	48.1	123	5.8
2"	TP 2	60.4	140	6.85
2 1/2"	TP 212	73.2	167.5	8.2
3"	TP 3	89.8	196	8.5
4"	TP 4	114.6	247	8.9
6"	TP 6	168.7	330	12
8"	TP 8	220.3	438.6	15.55




PVC TEE WITH DOOR-SCH80

SIZE INCHES	ITEM NO	D mm	L mm	T mm	H mm
4"	TDP 4	115	253	9	60




PVC REDUCER-SCH80

SIZE	ITEM NO	D mm	D2 mm	L mm	L mm
3/4 x 1/2"	RED/P 1234	21.3	26.7	22	26.3
1 x 1/2"	RED/P 112	21.3	33.3	22.66	33.6
1 x 3/4"	RED/P 134	26.7	33.2	25.45	34.7
114 x 12"	RED/P 11412	21.2	42	22.6	40.7
114 x 3/4"	RED/P 11434	26.7	42	24.78	40.5
114 x 1"	RED/P 1141	33.5	42	27.78	41.5
112 x 1/2"	RED/P 11212	21.2	48.2	23	43.7
112 x 1"	RED/P 1121	33.2	48	25.63	43
112 x 114"	RED/P 112114	42.2	48	32.37	44.3
2 x 1/2"	RED/P 212	21.2	60.1	22	48.8
2 x 3/4"	RED/P 234	26.3	60.4	25.09	50
2 x 1"	RED/P 212	33.4	60.4	29.6	49.6
2 x 114"	RED/P 2114	42	60.4	31.42	47.5
2 x 112"	RED/P 2112	48.2	60.5	35.77	49.5
212 x 2"	RED/P 2122	60.3	72.6	38.03	55
112 x 3/4"	RED/P 11234	26.8	48.3	25.5	44
212 x 112"	RED/P 212112	48.2	73	36.5	55.3
3 x 212"	RED/P 3212	73.1	88.3	44.18	58.5
3 x 112"	RED/P 3112	48.6	88.7	36	58.9
3 x 2"	RED/P 32	60.3	88.6	41.83	58.6
4 x 2"	RED/P 42	60.2	113.8	39.07	68
4 x 3"	RED/P 43	88.6	113.7	46.13	67.5
6 x 4"	RED/P 64	114.7	168	60	60
8 x 6"	RED/P 86	168.9	218.4	78	78




PVC SOCKET-SCH80

SIZE	ITEM NO.	D mm	L mm	T mm
1/2"	NBP 12	21.5	50	4.4
3/4"	NBP 34	27	53	4.3
1"	NBP 1	33.8	64.2	4.68
1 1/4"	NBP 114	42.3	69.5	5.5
1 1/2"	NBP 112	48.32	80	5.8
2"	NBP 2	60.7	84	6.5
2 1/2"	NBP. 212	73.2	94.6	8
3"	NBP 3	89.5	101.7	8.2
3"	NBP 4	114.6	122	9.2
6"	NBP 6	170	160	13.5
8"	NBP 8	220.3	234	15.55




PVC UNION-SCH80

SIZE	ITEM NO.	D mm	L mm	T mm
1/2"	UNION/P12	21.4	54	5.5
3/4"	UNION/P34	26.7	61	5.4
1"	UNION/P1	33.4	68	5.1
1 1/4"	UNION/P114	42.2	77	6.8
1 1/2"	UNION/P112	48.3	83	6.8
2"	UNION/P2	60.3	94	8
2 1/2"	UNION/P212	73	110	8.3
3"	UNION/P34	89	125	8
4"	UNION/P4	114.2	161	9




PVC INCH/MM SOCKET-SCH80

SIZE	ITEM NO.	D1" mm"	D2 mm	L mm	T inch" mm"	T mm
1/2" x 20mm	NBP 1/2" x 20mm	21.3	20.3	50	4.7	5
3/4" x 25mm	NBP 3/4" x 25mm	26.7	25.4	56	4.7	5
1" x 32mm	NBP 1" x 32mm	33.2	32.4	65	5.3	5
1 1/4" x 40mm	NBP 1 1/4" x 40mm	42	40.2	70.4	5.5	6
1 1/2" x 50mm	NBP 1 1/2" x 50mm	48.3	50	80	6	4
2" x 63mm	NBP 2" x 63mm	60.2	63.2	86	6	4
2 1/2" x 75mm	2 1/2" x 75mm	73.2	75	94	8	6
3" x 90mm	NBP 3" x 90mm	89	90	102	8	7
4" x 110mm	NBP 4" x 110mm	114.4	110.5	122	9.8	12
6" x 160mm	NBP 6" x 160mm	170	160.3	160	13.7	21




PVC P-TRAP-SCH80

SIZE INCHES	ITEM NO.	D mm	L mm	T mm	H mm
4"	P-TRAPE 4	114.5	155	7.3	59




PVC CAP-SCH80

SIZE	ITEM NO.	D mm	L mm	T mm
1/2"	CAP/P 12	21.3	31.6	4
3/4"	CAP/P 34	26.6	35.7	4
1"	CAP/P 1	33.3	40	4.5
1 1/4"	CAP/P 114	42	44	5
1 1/2"	CAP/P 112	48.1	45	5.2
2"	CAP/P 2	60.4	52	5.5




PVC FLANGE -SCH80

SIZE	ITEM NO.	D mm	L mm	W mm
2"	FLANGE 2P	61.14	151.8	38.78
2 1/2"	FLANGE 212P	73.45	176.6	43.68
3"	FLANGE 3P	89.28	187.9	40.8
4"	FLANGE 4P	114.7	226.7	47.15
6"	FLANGE 6P	168.6	278.3	43.48
8"	FLANGE 8P	220	334.2	45.57




PVC BLIND FLANGE-SCH80

SIZE	ITEM NO.	D mm	L mm	T mm
2"	B/FLANGE 2P	48	151.8	29
2 1/2"	B/FLANGE 212P	64.4	177.6	25.14
3"	B/FLANGE 3P	73.43	188.1	22.9
4"	B/FLANGE 4P	100	226.7	28.21
6"	B/FLANGE 6P	148.2	277.5	31.86
8"	B/FLANGE 8P	203.2	334.2	38.11




PVC ELBOW 45-SCH40

SIZE	ITEM NO.	D mm	L mm	T mm	H mm
1/2"	EOW 45/12	21.3	32	5	24
3/4"	EOW 45/34	26.6	31	3.3	20
1"	EOW 45/1	33.4	37	3.8	23
1 1/4"	EOW 45/114	42	43	4	25.5
1 1/2"	EOW 45/112	48.3	52	3.8	31.5
2"	EOW 45/2	60.5	60	4.4	34.5
3"	EOW 45/3	90	85	5	54
4"	EOW 45/4	114.3	96	6	60
6"	EOW 45/6	168.3	165	6	87
8"	EOW 45/8	220.5	195	8	113




PVC ELBOW 90-SCH40

SIZE	ITEM NO.	D mm	L mm	T mm	H mm
1/2"	ENW 90/12	21.3	33	3.1	18.4
3/4"	ENW 90/34	26.4	35	3.3	18.7
1"	ENW 90/1	33.4	42	3.8	23.3
1 1/4"	ENW 90/114	42	48	3.7	25.4
1 1/2"	ENW 90/112	48.8	58	3.8	29
2"	ENW 90/2	60.5	66	4.4	32
3"	ENW 90/3	90	98	6	48
4"	ENW 90/4	114.3	108	6	60
6"	ENW 90/6	168.3	173	6.3	90
8"	ENW 90/8	220.5	211	8	112




PVC TEE-SCH40

SIZE	ITEM NO.	D mm	D2 mm	L mm	T mm
1/2"	TW 12	21.4	21.4	64.2	3.2
3/4"	TW 34	26.8	26.8	68.8	3.3
1"	TW 1	33.5	33.5	84.3	3.8
1 1/4"	TW 114	42.1	42.1	96.4	4.2
1 1/2"	TW 112	48.4	48.4	112.7	4.2
2"	TW 2	60.7	60.7	128	4.3
3"	TW 3	89.9	88.9	188	5.6
4"	TW 4	114.5	114.5	213.5	5.6
6 X 6"	TW 6	169	169	345	6.2
6 X 4"	TW 64	170	114.5	345	6.3
8 X 8"	TW 88	219	219	429	9.3
8 X 6"	TW 86	219	167	429	9.3
8 X 4"	TW 84	219	114.5	429	9.3




PVC SOCKET-SCH40

SIZE	ITEM NO.	D mm	L mm	T mm	H mm
1/2"	NBW 12	21.5	40	3.2	18
3/4"	NBW 34	26.8	42	3.3	19.2
1"	NBW 1	33.4	50	3.8	23.5
1 1/4"	NBW 114	42.4	54	4	25.5
1 1/2"	NBW 112	48.6	62	4	30
2"	NBW 2	60.2	66	4.4	32
3"	NBW 3	89.2	100	6	48
4"	NBW 4	114.1	107	6.4	51
6"	NBW 6	168.3	159	7.5	75
8"	NBW 8	220.6	212	8.5	102




PVC TY-SCH40

SIZE	ITEM NO.	D mm	D mm	L mm	T mm
1 1/2"	TY 112	48.2	48.2	152	4.5
2"	TY 2	60.4	60.4	182	4.2
3"	TY 3	89.6	89.6	242	5.7
4"	TY 4	114.5	114.5	269	5.4
6"	TY 66	168.7	168.7	427	6.2
6 X 4"	TY 64	168.7	114.2	427	6.2
8"	TY 88	220.5	220.5	520	8




PVC MALE ADAPTER-SCH40

SIZE	ITEM NO.	D mm	L mm	T mm
1/2"	AW 12 NOR	21.4	47	4.4
3/4"	AW 34 NOR	26.6	52.8	4.5
1"	AW 1 NOR	33.4	61.1	5




PVC FLOOR TRAP-SCH40

SIZE	ITEM NO.	D1 mm	D2 mm	D3 mm	L mm
4 x 2 x 2"	FL 422	114.7	60	60	184.5
4 x 2 x 1 1/2"	FL 42112	114.7	60	48	179.6
4x11/2x11/2"	FL 4112112	114.7	60	60	180
4 x 3 x 1 1/2"	FL 43112	114.7	89.3	48	182.4
4 x 3 x 2"	FL 432	114.7	89.3	60	181
4 x 4 x 2"	FL 442	114.7	114.7	60	200
4 x 4 x 1 1/2"	FL 44112	114.7	114.7	48	195.1




PVC PEPA CONE-SCH40

SIZE	ITEM NO	D mm	D1 mm	L mm	T mm	H mm
4 x 2"	PEPA CONE 422	114.5	60.2	170	4.8	178.5
4 x 1 1/2"	PEPA CONE 4112	114.3	48.2	168.5	3.6	178.5



PVC PEPA CONE TALL-DWV

SIZE	ITEM NO	D mm	D1 mm	L mm	T mm	H mm
4 x 2"	PEPA CONE 422	114.8	60.5	170	4	227
4 x 1 1/2"	PEPA CONE 4112	114.9	48.3	170	4	227




PVC TEE SANITARY-SCH40

SIZE	ITEM NO.	D mm	L mm	T mm	H mm
4"	TWS 4	114.5	245	7	55




PVC REDUCER-SCH40

SIZE	ITEM NO	D mm	D2 mm	L mm	T mm
3/4 x 1/2"	RED/W 1234	21.3	26.7	26.3	3.8
1 x 1/2"	RED/W 112	21.3	33.3	33.6	7
1 x 3/4"	RED/W 134	26.7	33.2	34.7	4.8
114 x 3/4"	RED/W 11434	26.5	42	40.5	10
114 x 12"	RED/W 11412	21.5	42	40.7	12.6
114 x 1"	RED/W 1141	33.4	42	41	6.8
112 x 1/2"	RED/W 11212	21.3	48.2	43.7	15.7
112 x 3/4"	RED/W 11234	26.4	48.2	44	13
112 x 1"	RED/W 1121	33.4	48	43	10
112 x 114"	RED/W 112114	42	48	43.7	5.2
2 x 1/2"	RED/W 212	21.2	60.1	48.8	21.2
2 x 3/4"	RED/W 234	26.3	60.2	48.8	19.3
2 x 1"	RED/W 212	33.2	60.4	43	15.2
2 x 114"	RED/W 2114	42.2	60.4	47.5	10.8
2 x 112"	RED/W 2112	48.2	60.2	49.5	8
3 x 112"	RED/W 3112	48.6	88.7	58	21.8
3 x 2"	RED/W 32	60.4	88.6	58.6	15.6
4 x 2"	RED/W 42	60.2	114	59	28
4 x 3"	RED/W 43	88.6	114	59	14
6 x 4"	RED/W 64	114.3	167.5	82	32
8 x 6"	RED/W 86	169	220	133	34




PVC CAP-SCH40

SIZE	ITEM NO.	D mm	L mm	T mm
1/2"	CAP/W 12	21.4	31.6	4.2
3/4"	CAP/W 34	26.6	26	3.2
1"	CAP/W 1	33.4	41	5
1 1/4"	CAP/W 114	42.2	44	5
1 1/2"	CAP/W 112	48.1	45	5.4
2"	CAP/W 2	60.4	42	4.4
3"	CAP/W 3	89	68	4.6
4"	CAP/W 4	114.4	74	5
6"	CAP/W 6	168	98	5.7
8"	CAP/W 8	220.4	136	7.8




PVC TEE WITH DOOR-SCH40

SIZE	ITEM NO.	D	L	T
		mm	mm	mm
4"	TDW 4	114	217	5.6
6"	TDW 6	169	337	6.2




PVC CLEANOUT-DWV

SIZE	ITEM NO.	D	L
		mm	mm
2"	ADP&CAP 2	60.2	32
3"	ADP&CAP 3	89	40
4"	ADP&CAP 4	114	62
6"	ADP&CAP 6	168	80




PVC FLOOR FILTER SET WITH COVER

SIZE	ITEM NO.	D	L
		mm	mm
15 X 15 CM	FILTER 1515	125	150
20 X 20 CM	FILTER 2020	125	200




PVC ELBOW WITH DOOR-SCH40

SIZE	ITEM NO.	D	L	T	H
		mm	mm	mm	mm
4"	EDW 90/4	114.3	117	5	58
6"	EDW 90/6	168.3	175	6.2	89




PVC UNION-SCH40

SIZE	ITEM NO.	D	L	T
		mm	mm	mm
1/2"	UNION/W 12	21.4	54	5.5
3/4"	UNION/W 34	26.7	61	5.4
1"	UNION/W 1	33.3	68	5.4
1 1/4"	UNION/W 114	42.2	77	7
1 1/2"	UNION/W 112	48.4	83	7
2"	UNION/W 2	60.3	93	7.7
3"	UNION/W 3	89	125	8
4"	UNION/W 4	114.2	161	9




PVC CHECK VALVE-SCH40

SIZE	ITEM NO.	D	L	T
		mm	mm	mm
4"	CHECK VALVE 4"	114.8	230	5
110mm	CHECK VALVE 110	110	230	7
6"	CHECK VALVE 6"	168	384	7
160mm	CHECK VALVE 160	160	384	11




PVC P-TRAPE-SCH40

SIZE	ITEM NO	D	L	T	H
		mm	mm	mm	mm
2"	P-TRAPE/W 2	60.5	75	3.9	36
3"	P-TRAPE/W 3	89.6	125	5.2	55
4"	P-TRAPE/W 4	114.7	150	4.8	58




PVC REDUCER SHELL-DWV

SIZE	ITEM NO.	D1	D2	L
		mm	mm	mm
4" x 110mm	RED/W 4-110	114	110	64
6" x 160mm	RED/W 6-160	168.2	160	82




PVC ELBOW 90 MALE-DWV

SIZE	ITEM NO.	D	L	T
		mm	mm	mm
4"	ENW90/4MALE	114.4	110	5




PVC DOUBLE SANITARY TEE-SCH40

SIZE	ITEM NO.	D	L	T	H
		mm	mm	mm	mm
4"	TDSW 4	114.5	274	6.3	56




PVC TEE 4WAY-SCH40

SIZE	ITEM NO.	D	L	T
		mm	mm	mm
3/4"	T4 WAY 3/4"	26.9	74.6	3.3
1"	T4 WAY 1"	33.4	89.3	3.9




PVC DRAIN-SCH40

SIZE	ITEM NO.	D	D2	L
		mm	mm	mm
4 X 1 1/2"	DRB/W4112	114.4	48.5	95
4 X 2"	DRB/W42	114.5	60.8	95




AIR VENT

SIZE	ITEM NO.	D	L
		mm	mm
2"	AIR VENT 2	60.3	87
63mm	AIR VENT 63	63	87
3"	AIR VENT 3	90.4	113
90mm	AIR VENT 90	90	113
4"	AIR VENT 4	114.5	171
110mm	AIR VENT 110	110	171




PVC-REPAIR SOCKET-DWV

SIZE	ITEM NO.	D	L	T
		mm	mm	mm
4"	REPAIR 4"	115	107.4	4.7
6"	REPAIR 6"	168	158	6.3




SOCKET MM-DIN

SIZE	ITEM CODE	D mm	L mm	T mm
50mm	NBLG 50mm	50	67.8	3.4
75mm	NBLG 75mm	75	92	3.6
110mm	NBLG 110mm	110	126	3.8
160mm	NBLG 160mm	160	176	5.6
200mm	NBLG 200mm	200	180	6.1




ELBOW 90 MM-DIN

SIZE	ITEM CODE	D mm	L mm	T mm	H mm
50mm	ENLG 90/50	50	74.03	2.8	33
75mm	ENLG 90/75	75	98.35	3.9	49.21
110mm	ENLG 90/110	110	140	4.7	66
160mm	ENLG 90/160	160	158.3	6.2	76
200mm	ENLG 90/200	200	225	6.4	117




TEE MM-DIN

SIZE	ITEM CODE	D mm	L mm	T mm
50mm	TLG 50mm	50	145	2.9
75mm	TLG 75mm	75	207	3.9
110mm	TLG 110mm	110	286	4
160mm	TLG 160mm	160	368	6
200mm	TLG 200mm	200	420	8




ELBOW 45 MM-DIN

SIZE	ITEM CODE	D mm	L mm	T mm	H mm
50mm	EOLG 90/50	50	59	2.8	34.65
75mm	EOLG 90/75	75	82	4.1	48.65
110mm	EOLG 90/110	110	116.8	4.4	65
160mm	EOLG 90/160	160	143	5.7	75.06
200mm	EOLG 90/200	200	275.8	6	113.5




TEE SANITARY MM-DIN

SIZE	ITEM CODE	D mm	L mm	T mm	H mm
50mm	TS 50	50	145	3.1	50
75mm	TS 75	75	185	3.8	60.6
110mm	TS 110	110	260	4.6	65.14
160mm	TS 160	160	320	5.6	76.29




REDUCER MM-DIN

SIZE	ITEM NO.	D mm	D1 mm	L mm	T mm
75/50	RED 75/50	75.4	50.4	114.6	3.5
110/50	RED 110/50	110	50.2	173	3.7
110/75	RED 110/75	110	75.3	160.7	3.6
160/110	RED 160/110	160.4	110.7	185	4.5




CAP MM-DIN

SIZE	ITEM CODE	D mm	L mm	T mm
110mm	CAP/W110	118.4	73	3.8
160mm	CAP/W160	168.8	75	4
200mm	CAP/W200	202.9	79	4.2




TY MM-DIN

SIZE	ITEM CODE	D mm	L mm	T mm	H mm
50mm	TYLG 50mm	50	145	2.8	34.9
75mm	TYLG 75mm	75	207	3.9	49
110mm	TYLG 110mm	110	286	4	67
160mm	TYLG 160mm	160	372	6	76.85




ROOF DRAIN MM-DIN

SIZE	ITEM CODE	D mm	H mm	L mm
110mm	ROOF DRAIN 110	110	135.4	200
75mm	ROOF DRAIN 75	75	135.4	200




PEPA-ORANGE

SIZE	ITEM NO.	D1 mm	D2 mm	L mm
110X50mm(3 side)	PEPA/OT11050X3	110	50	30
110X50mm(4 side)	PEPA/OT11050X4	110	50	30




RUBBER PEPA-ORANGE

SIZE	ITEM NO.	D1 mm	D2 mm	L mm
110x50mm	PEPA/OR11050	110	50	17.5
110x75mm	PEPA/OR11075	110	75	17.5




ELBOW 45 PN-16

SIZE	ITEM CODE	D	L	T
		mm	mm	mm
25mm	EOP 45/25mm	25.2	31.5	3.8
32mm	EOP 45/32mm	32.05	38.4	4.5
40mm	EOP 45/40mm	40.2	48	5
50mm	EOP 45/50mm	50.1	60	5.1
63mm	EOP 45/63mm	63.2	75.84	5.8
75mm	EOP 45/75mm	75.2	90.24	7.4
90mm	EOP 45/90mm	90.3	108.4	8.2
110mm	EOP 45/110mm	110.2	119.2	8.5
160mm	EOP 45/160mm	160.4	158	12.6
200mm	EOP 45/200mm	202.2	191	14.8




TEE PN-16

SIZE	ITEM CODE	D	L	T
		mm	mm	mm
25mm	TP 25mm	25.2	67	3.7
32mm	TP 32mm	32.2	80	4.8
40mm	TP 40mm	40.1	96	5
50mm	TP 50mm	50.2	114	5.1
63mm	TP 63mm	63.2	144	6
75mm	TP 75mm	75.2	167	7.6
90mm	TP 90mm	90.2	195	8.2
110mm	TP 110mm	110	237	9.3
160mm	TP 160mm	160	337	15
200mm	TP 200mm	202.2	414	14.8




SOCKET PN-16

SIZE	ITEM CODE	D	L	T
		mm	mm	mm
25mm	NBP25	25.2	41	3.8
32mm	NBP32	32.1	47	4.8
40mm	NBP40	40.1	55	5
50mm	NBP50	50.2	65	5.2
63mm	NBP63	63.2	79	5.8
75mm	NBP75	75.3	92	7.4
90mm	NBP90	90.3	102	8
110mm	NBP110	110.5	127	9.5
160mm	NBP160	160.4	181	11.5
200mm	NBP200	202.2	221	12.5




ELBOW 90 PN-16

SIZE	ITEM CODE	D	L	T
		mm	mm	mm
25mm	ENP 90/25mm	25.1	33	3.8
32mm	ENP 90/32mm	32.1	41	4.4
40mm	ENP 90/40mm	40.2	48	5
50mm	ENP 90/50mm	50.2	58	5.2
63mm	ENP 90/63mm	72	78	5.8
75mm	ENP 90/75mm	75.1	84	7.1
90mm	ENP 90/90mm	90.3	98	8.3
110mm	ENP 90/110mm	110.3	119	11
160mm	ENP 90/160mm	160.4	170	14
200mm	ENP 90/200mm	202.2	207	14.8



UNION PN-16

SIZE	ITEM CODE	D mm	L mm	T mm
25mm	UNION/P 25mm	25.3	60.75	5.1
32mm	UNION/P 32mm	32	68	5.6
40mm	UNION/P 40mm	40.2	76	7.7
50mm	UNION/P 50mm	50	83	6
75mm	UNION/P 75mm	75.4	111.5	7.6
90mm	UNION/P 90mm	90.3	125	7.7
110mm	UNION/P 110mm	110.5	160.7	11.2




CAP PN-16

SIZE	ITEM CODE	D mm	L mm	T mm
25mm	CAP/P25	25.2	26	4
32mm	CAP/P32	32.1	31	4.5
40mm	CAP/P40	40.1	39	5
50mm	CAP/P50	50.2	45	5.1
63mm	CAP/P63	63.2	49	6
75mm	CAP/P75	75.3	58	7
200mm	CAP/P200	90.3	102	8




FLANGE -PN-16

SIZE	ITEM NO.	D mm	L mm	W mm
75mm	FLANGE 75	75.3	176.6	43.68
90mm	FLANGE 90	90.3	187.9	40.8
110mm	FLANGE 110	110.3	226.7	47.15
160mm	FLANGE 160	160.5	278.3	43.48



SOCKET PN-16

SIZE	ITEM CODE	D1 mm	D2 mm	L1 mm
32 X 25mm	RED/P 3225	32	25.37	22
50 X 25mm	RED/P 5025	50	25.36	31
50 X 32mm	RED/P 5032	50	32.5	31
63 X 32mm	RED/P 6332	63	32.5	38
75 X 50mm	RED/P 7550	75	50.5	44
110 X 75mm	RED/P 11075	110	75.7	61
110 X 90mm	RED/P 11090	110	90.6	60
160 X 110mm	RED/P 160110	160	110.8	86



SIZE	ITEM CODE	D mm	L mm	T mm
1/2" X 20mm	AP 20X1/2"NOR	20.6	48	4.9
3/4" X 25mm	AP 25X3/4"NOR	25.2	53	5.1
1" X 32mm	AP 32X1" NOR	32.2	61.5	5.7

TESTS :

Finished Product	Raw Material
Visual Appearance	Appearance
Dimensions	Density
Methylene cChloride	Impact Test
Impact	Tensile Strength
Burst Pressure	Vicat Softening Point
Hydrostatic Pressure	
Chemical Resistance	
Vicat Softening Point	
Effect of heat	
Opacity	

SPECIFICATION:

Raw Matrial	: Astm D-1784
P.V.C. Fittings Sch.40	: Astm D-2466
P.V.C. Pipes Sch.40	: Astm D-1785
P.V.C. Fittings Sch.80	: Astm D-2467
P.V.C. Pipes Sch.80	: Astm D-1785
C.P.V.C. Fittings Sch.80	: Astm F-439
C.P.V.C. Pipes Sch.80	: Astm F-441
UPVC Fittings PN-16	: ISO-1452-3
UPVC Pipes PN-16	: ISO-1452-2

ACES Arab Company
TEST REPORT
TEST: DIMENSION OF FITTING
Test Method: ASTM D2466

Client name: UNITED GULF FACTORY FOR PLASTIC PRODUCTS CO. LTD.
Client location: DUBAI
Contractor: SA
Consultant: SA
Report name: SA
Sample No: JH-SAS-20000000000000000000
Date received: 04-03-2023
Sampled by: Client
Test location: ACES Lab
Sample name: 1/2" SCH 40 ASTM D2466 PVC
Lab Address: Building No. 211, Al. Imam, Al. Badiya Street, Al. Badiya District, DUBAI, U.A.E.

TEST RESULTS

Item	Unit	Value	Acceptance
1	mm	63.00	63.00
2	mm	63.00	63.00
3	mm	63.00	63.00

Notes: 1. The test results are the average of three tests.
2. The test results are the average of three tests.
3. The test results are the average of three tests.

Tested by: [Signature]
Checked by: [Signature]
Approved by: [Signature]

2030 Arab Company
TEST REPORT
TEST: DIMENSION OF FITTING
Test Method: ASTM D2466

Client name: UNITED GULF FACTORY FOR PLASTIC PRODUCTS CO. LTD.
Client location: DUBAI
Contractor: SA
Consultant: SA
Report name: SA
Sample No: JH-SAS-20000000000000000000
Date received: 04-03-2023
Sampled by: Client
Test location: ACES Lab
Sample name: 1/2" SCH 40 ASTM D2466 PVC
Lab Address: Building No. 211, Al. Imam, Al. Badiya Street, Al. Badiya District, DUBAI, U.A.E.

TEST RESULTS

Item	Unit	Value	Acceptance
1	mm	63.00	63.00
2	mm	63.00	63.00
3	mm	63.00	63.00

Notes: 1. The test results are the average of three tests.
2. The test results are the average of three tests.
3. The test results are the average of three tests.

Tested by: [Signature]
Checked by: [Signature]
Approved by: [Signature]

AL HITY - STANGER TEST REPORT
Date: January 02, 2018
Ref No: 700100
Project No: 700100

Client name: UNITED GULF FACTORY FOR PLASTIC PRODUCTS CO. LTD.
Client location: DUBAI
Contractor: SA
Consultant: SA
Report name: SA
Sample No: JH-SAS-20000000000000000000
Date received: 04-03-2023
Sampled by: Client
Test location: ACES Lab
Sample name: 1/2" SCH 40 ASTM D2466 PVC
Lab Address: Building No. 211, Al. Imam, Al. Badiya Street, Al. Badiya District, DUBAI, U.A.E.

TEST RESULTS

Item	Unit	Value	Acceptance
1	mm	63.00	63.00
2	mm	63.00	63.00
3	mm	63.00	63.00

Notes: 1. The test results are the average of three tests.
2. The test results are the average of three tests.
3. The test results are the average of three tests.

Tested by: [Signature]
Checked by: [Signature]
Approved by: [Signature]



شهادة ترخيص باستخدام علامة الجودة
 License to use the Quality Mark

رقم الترخيص: QM2311000040

SASO affirms that this facility has fulfilled the highest product conformity requirements and has been granted the license to use the Saudi quality mark on the products listed in this certificate.

تؤكد الهيئة السعودية للمواصفات والمقاييس والجودة بأن هذه المنشأة قد حققت أعلى معايير المطابقة للمتطلبات وعليه تم ترخيصها باستخدام شعار علامة الجودة السعودية على المنتجات المذكورة في هذه الشهادة.

الترخيص رقم	الترخيص رقم
Qm2311000040	Qm2311000040
01/11/2023	01/11/2023
01/11/2026	01/11/2026

تأكد من صحة هذه الشهادة يرجى زيارة موقعنا على الإنترنت، وأي تغيير أو تعبير في هذه الشهادة يغيرها.

To verify this certification visit SASO website, and any changes or modification on this certificate will affect its validity.

المملكة العربية السعودية
 Kingdom of Saudi Arabia

شهادة ترخيص باستخدام علامة الجودة
 License to use the Quality Mark

رقم الترخيص: QM2311000040

SASO affirms that this facility has fulfilled the highest product conformity requirements and has been granted the license to use the Saudi quality mark on the products listed in this certificate.

تؤكد الهيئة السعودية للمواصفات والمقاييس والجودة بأن هذه المنشأة قد حققت أعلى معايير المطابقة للمتطلبات وعليه تم ترخيصها باستخدام شعار علامة الجودة السعودية على المنتجات المذكورة في هذه الشهادة.

الترخيص رقم	الترخيص رقم
Qm2311000040	Qm2311000040
01/11/2023	01/11/2023
01/11/2026	01/11/2026

تأكد من صحة هذه الشهادة يرجى زيارة موقعنا على الإنترنت، وأي تغيير أو تعبير في هذه الشهادة يغيرها.

To verify this certification visit SASO website, and any changes or modification on this certificate will affect its validity.

المملكة العربية السعودية
 Kingdom of Saudi Arabia

شهادة ترخيص باستخدام علامة الجودة
 License to use the Quality Mark

رقم الترخيص: QM2311000040

SASO affirms that this facility has fulfilled the highest product conformity requirements and has been granted the license to use the Saudi quality mark on the products listed in this certificate.

تؤكد الهيئة السعودية للمواصفات والمقاييس والجودة بأن هذه المنشأة قد حققت أعلى معايير المطابقة للمتطلبات وعليه تم ترخيصها باستخدام شعار علامة الجودة السعودية على المنتجات المذكورة في هذه الشهادة.

الترخيص رقم	الترخيص رقم
Qm2311000040	Qm2311000040
01/11/2023	01/11/2023
01/11/2026	01/11/2026

تأكد من صحة هذه الشهادة يرجى زيارة موقعنا على الإنترنت، وأي تغيير أو تعبير في هذه الشهادة يغيرها.

To verify this certification visit SASO website, and any changes or modification on this certificate will affect its validity.

المملكة العربية السعودية
 Kingdom of Saudi Arabia

شهادة ترخيص باستخدام علامة الجودة
 License to use the Quality Mark

رقم الترخيص: QM2311000040

SASO affirms that this facility has fulfilled the highest product conformity requirements and has been granted the license to use the Saudi quality mark on the products listed in this certificate.

تؤكد الهيئة السعودية للمواصفات والمقاييس والجودة بأن هذه المنشأة قد حققت أعلى معايير المطابقة للمتطلبات وعليه تم ترخيصها باستخدام شعار علامة الجودة السعودية على المنتجات المذكورة في هذه الشهادة.

الترخيص رقم	الترخيص رقم
Qm2311000040	Qm2311000040
01/11/2023	01/11/2023
01/11/2026	01/11/2026

تأكد من صحة هذه الشهادة يرجى زيارة موقعنا على الإنترنت، وأي تغيير أو تعبير في هذه الشهادة يغيرها.

To verify this certification visit SASO website, and any changes or modification on this certificate will affect its validity.

المملكة العربية السعودية
 Kingdom of Saudi Arabia

شهادة ترخيص باستخدام علامة الجودة
 License to use the Quality Mark

رقم الترخيص: QM2311000040

SASO affirms that this facility has fulfilled the highest product conformity requirements and has been granted the license to use the Saudi quality mark on the products listed in this certificate.

تؤكد الهيئة السعودية للمواصفات والمقاييس والجودة بأن هذه المنشأة قد حققت أعلى معايير المطابقة للمتطلبات وعليه تم ترخيصها باستخدام شعار علامة الجودة السعودية على المنتجات المذكورة في هذه الشهادة.

الترخيص رقم	الترخيص رقم
Qm2311000040	Qm2311000040
01/11/2023	01/11/2023
01/11/2026	01/11/2026

تأكد من صحة هذه الشهادة يرجى زيارة موقعنا على الإنترنت، وأي تغيير أو تعبير في هذه الشهادة يغيرها.

To verify this certification visit SASO website, and any changes or modification on this certificate will affect its validity.

المملكة العربية السعودية
 Kingdom of Saudi Arabia



مصنع شركة المتحد الخليجي للصناعات البلاستيكية المحدودة
THE UNITED GULF FACTORY FOR PLASTC PRODUCTS CO. LTD.



المملكة العربية السعودية - جدة - المنطقة الصناعية - المرحلة الرابعة
Kingdom of Saudi Arabia - Jeddah - Industrial Area - Phase 4



+966 12 6360100



+966 12 6360031